

3

91585



NEW ZEALAND QUALIFICATIONS AUTHORITY
MANA TOHU MĀTAURANGA O AOTEAROA

QUALIFY FOR THE FUTURE WORLD
KIA NOHO TAKATŪ KI TŌ ĀMUA AO!

SUPERVISOR'S USE ONLY

Tick this box if
there is no writing
in this booklet

Level 3 Mathematics and Statistics (Statistics) 2020

91585 Apply probability concepts in solving problems

9.30 a.m. Wednesday 18 November 2020

Credits: Four

Achievement	Achievement with Merit	Achievement with Excellence
Apply probability concepts in solving problems.	Apply probability concepts, using relational thinking, in solving problems.	Apply probability concepts, using extended abstract thinking, in solving problems.

Check that the National Student Number (NSN) on your admission slip is the same as the number at the top of this page.

You should attempt ALL the questions in this booklet.

Show ALL working.

Make sure that you have the Formulae and Tables Booklet L3–STATF.

If you need more room for any answer, use the space provided at the back of this booklet and clearly number the question.

Check that this booklet has pages 2–12 in the correct order and that none of these pages is blank.

YOU MUST HAND THIS BOOKLET TO THE SUPERVISOR AT THE END OF THE EXAMINATION.

TOTAL

ASSESSOR'S USE ONLY

QUESTION ONE

After exercise, the blood sugar and dehydration levels of 80 Year 13 students from one school were measured. Blood sugar levels were classified as 'low blood sugar' or 'normal blood sugar' and dehydration levels were classified as 'dehydrated' or 'not dehydrated'.

Of the 32 students with low blood sugar levels, 20 were also dehydrated.

53 students were not dehydrated.

(a) One of the students was randomly selected.

(i) Calculate the probability that the student was dehydrated.

(ii) Explain whether the events 'student is dehydrated' and 'student has low blood sugar' are mutually exclusive.

Support your answer with statistical reasoning.

- (iii) Give TWO reasons why care should be taken when using this data to estimate the probability that any randomly chosen Year 13 student in New Zealand shows low blood sugar levels after exercise.

Reason One: _____

Reason Two: _____

- (b) Both dehydration and low blood sugar levels are thought to decrease cognitive (thinking) ability.


In a separate study involving a different group of Year 13 students from the same school, after exercise it was observed that:

- for the 15% of students who were dehydrated and who had low blood sugar levels, 45% showed decreased cognitive ability
- for the 57% of students who were not dehydrated and had normal blood sugar levels, 5% showed decreased cognitive ability
- for all other students, 32% showed decreased cognitive ability.

- (i) Calculate the probability that a randomly selected student in this group showed decreased cognitive ability after exercise.

- (ii) Calculate the proportion of students in this study with decreased cognitive ability that are not dehydrated and have normal blood sugar levels.

Interpret this proportion.



QUESTION TWO

As part of enrolling at a medical clinic, new patients undergo health-screening tests. One of these screening tests measures the amount of blood cholesterol in order to identify those patients who may have heart disease. Cholesterol levels greater than 200 mg/dL suggest that the patient may have heart disease.

Medical studies report that:

- approximately 5% of the New Zealand population are known to have heart disease
 - 73% of people with heart disease have cholesterol levels greater than 200 mg/dL, and
 - 76% of people without heart disease have cholesterol levels of 200 mg/dL or less.
- (a) (i) Out of 100 individuals who are screened with this test, approximately how many would be expected to have a cholesterol level greater than 200 mg/dL?

- (ii) A patient is told that the result of their screening test is positive (cholesterol level is greater than 200 mg/dL).

Comment on whether this patient should be concerned that they do actually have heart disease.

Support your answer with statistical reasoning.

- (iii) Suppose the threshold value for suggesting a person has heart disease is changed from 200 mg/dL to 250 mg/dL.

Describe how this increase in threshold value could change the proportion of patients correctly identified as having heart disease (those with a cholesterol level greater than the threshold, that actually have heart disease).

- (b) The medical clinic is interested in understanding the probability of patients being diagnosed with heart disease, diabetes, and stroke.

After analysing the records of 5000 patients, they found that:

- 71 were diagnosed with heart disease, diabetes, and stroke
- 1359 were not diagnosed with any of these conditions
- 1907 were diagnosed with heart disease
- 1814 were diagnosed with diabetes
- 627 were diagnosed with stroke
- 388 of those diagnosed with heart disease were also diagnosed with diabetes
- 170 of those diagnosed with heart disease were also diagnosed with stroke.

- (i) Calculate the proportion of patients that were diagnosed with heart disease, but not diabetes or stroke.


- (ii) It is claimed that, for patients with heart disease, they are twice as likely to be diagnosed with diabetes than stroke.

Does the data support this claim?

Support your answer with appropriate statistical statements.

QUESTION THREE

Research suggests that artificial tanning is detrimental to health. The Eikosogram below shows a representation of the proportions of a group of male and female students who have participated in artificial tanning during the previous year. The rectangular regions of the Eikosogram have areas in proportion to the probabilities of participating in tanning (or not) for males and females in a study group.



There were 250 students in this study, of whom 55.2% were female. Just less than half (48.4%) of the 250 students had participated in artificial tanning during the previous year (including $\frac{2}{5}$ of the males).

- (a) (i) Represent the information provided about the study using a two-way table of counts.

- (b) The counts of these 250 students who have ear piercing(s) is summarised in the two-way table below. A student is randomly chosen from this group.

	Ear piercing(s)	No ear piercing(s)
Male	58	54
Female	91	47

- (i) Explain whether the events ‘student is female’ and ‘student has ear piercing(s)’ are independent.

Support your answer with statistical statements and reasoning.
